Rec'd March 29th/66
Ans ——— 31st

Dr G Engelmann

Aiken S.C. March 23d 1866

Dear Sir I received your letter of the 8th inst a few days ago. It would give me pleasure to render you all the aid I can in your elucidation of the Yucceæ Genera, but I fear my means for doing so now are quite limited. I have not looked at my specimens for 12 or 15 years — & for the last five years I have given no attention whatever to botany. I have not the time or opportunity to look at these things with that care & attention which their series would require of me before expressing an opinion — & I have therefore only selected small bits from my specimens, & give you the names as I have them in my herbarium. The specimens are numbered to correspond with my own, so any ~~error~~ reference can be understood. These specimens were mostly all collected in the seaboard part of our state. We have some specimen growing wh I have but I have paid no particular attention to them. With respect to the collection you wish made for your "Herb. Yuccaceæ &c", it would be impossible for me to get there on the seaboard, unless I went down specially for that purpose — & my means are now so straitened that I could not afford the expense of travel. There growing around me here I will very cheerfully collect if they are such as you want. I can send you specimens later in the season — or you can send me a list of such as you wish collected here.

I have never seen Nolina caespitiformis. N. arborea is common enough. I will have my attention drawn to the species & notify you of any discovery. With respect to your other inquiry — the Pine

I will make an examination this spring of them in search
& think to female ~~ann~~ cone of P glabra is lateral, & of P mitis
terminal. I find it so in the single specimen I have of these
plants in flower in my herbarium, but it needs further con-
-firmation to prove its universality. We have here P. australis
taeda, mitis & inops. — P. glabra I have not seen in the
upper region of the state, nor P. serotina.

For 12 or 15 years past I have not done much in Pharmac-
-ceutical botany. All health connected due to move from the low
country to this high & sandy hill region — & the time I had to
spare to Botany was mostly given to the Cryptogamous.
Since 1860 our thoughts have been so much absorbed in the
momentous events surrounding us.

The calamities of war have swept through the whole
South, & reduced almost every one to poverty. By the
universal bankruptcy of all securities & investments, obs-
truction of rail roads, burning of cities & towns & private
dwelling houses, there are few that have escaped.
I have lost nearly every thing by bankruptcy of other banks
& other securities, & find it difficult to make enough at
present for the commonest necessaries of life. I am looking
out for some kind of business by which I may be able
to make a support for my family.

I am very respectfully
H. W. Ravenel.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN



0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Rec'd Apl 27th
Ans May 29

Aiken S.C. April 21 1866

Dear Sir Your letter of the 31st ult. was received near two weeks ago. Hearing of an opportunity to my friends in the low country, I wrote to request them to procure Pines sent to me. The time was so short to return me the specimens that they are not worth sending but I have written again to request them to collect good specimens in flower & return them until an opportunity offers of sending them to me. You know how difficult it is for the uninitiated to understand exactly the wants of a botanist. I have described minutely what I wished, & hope they will succeed better next time. I have myself collected P. australis here in flower, & will send all together when I receive them from below. I have been long aware that Dr Gray thinks P. serotina a form of P. rigida. Still P. serotina as we have it here in the low country, I am familiar. It is quite distinct from taeda & other species which grow here, but I have not seen enough of P. rigida in its forest growth (having only a single dried specimen) to enable me to express a decided opinion. P. serotina will be found only in damp places, around ponds & when the soil is not, frequently under water. Hence the name of Pond Pine. The cone is quite peculiar, & unlike that of taeda. I have always thought it a good species. It was long before I could get the claims of P. glabra & a specimen acknowledged. Dr Gray & Curtis & others to whom I sent specimens always called it "P. mitis". It is distinct enough in every respect from this last. I will endeavor to get specimens of P. serotina characteristic of the forms here in flower & with the old cones

so as to enable you to compare it properly with regrets with which you can probably more familiarize than I am.

I will also have an eye to Yancey, & do what I can for you in the course of the summer. How many specimens of each species do you require. Would it not be desirable (when the opportunity is offered) to get specimens in flower & also in mature seed so as to give a better representation of the species?

I have never seen but one species of Callitriche here, viz C. verna of which I have specimens & will examine again

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Thanks for your good opinion of us. We seem ment into this contest on principle & with a consciousness of right. The appeal to the sword was made on both sides. After struggling manfully for four years amid great sacrifices & suffering, she was compelled to yield to greater numbers & greater resources. She has accepted the issue in good faith — & our people had drawn their arms with as much unanimity as they were taken up. They had lost every thing but their honor — & it was universally believed that a spirit of magnanimity would prompt the rioters to ~~turn of~~ liberal & reasonable terms. The states lately in hostility to the government have given every assurance of their good faith in accepting the issues of the conflict & have complied with every requirement made upon them. But it seems that nothing can appease the vindictive feelings which party spirit has raised. We need rest & re-pose after the exhausting struggle to recover & reconstruct our shatter-ed resources; — but the cries of wrongs still goes on. Instead of the olive branch ~~of peace~~, we see thrust out of the national house of Legislation — instead of Peace & Good Will, we have offered to us dishonorable conditions, taunts & gibes.

Man is more unforgiving than his maker

Yours very truly
H W Ravenel

I have been offering for sale & dispersing of my books to meet present necessities. I have a number of my Fungi Exsiccati still on hand, mostly of the 3, 4 & 5 volumes. having only one complete set (sixths) left. Have I offered at $6. per vol. should you know of any one desiring the works I would be glad to dispose of them.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd May 28
Ans May 29

Aiken S.C. May 23/66

Euphorb. corollata
Typha

My dear Sir

Since my last letter I have found three species of Yucca growing about this place which I can collect for you in quantity if they are wanted. I enclose specimens they are all too young to show mature seed, but the characters are sufficiently distinct. I give my notes of them on the labels.

I have also found good fruiting specimens of Pinus australis & P. inops near here & have written to friends in the low country to get me P. glabra & P. serotina. The two former have their inflorescence lateral, & I suspect it is the same with the other four species, with which I am familiar, if my memory serves me right. My impression is also that they are all biennial in maturing their fruit. & as a necessary consequence, the leaves are persistent for that length of time. The fruit & leaves formed this spring remain together on the tree until the autumn of 67 — the former maturing — &, the fructification of the latter ceasing, they fall off, showing persistency for 18 months. This I think is the case with P. australis which I have examined with care — As far as I have observed in P. australis (& I have had an opportunity of examining a number of trees three deep, and cattle during the last month) the male & female flowers are never in the same spring sheath (until quite of this season) — & also that the main limb which produced a female flower last year (near a half grown cone) produces another female flower this year (as is known) but in no case a male flower. The last-made leaves which have sprung from the main branch

one or two years back may change to the other mode
Matter this is a law or not my observations have not
been sufficient to enable me to say. Have you noticed this
fact? — I am reminded of this a subject for investigation
which occurred to me ~~to take note~~ five or six years ago, but
the press has prevented all such thoughts. I alluded to the
reproduction of the Dioecious plants — the propagation of the
individuals. For example, here is a bunch of grapes:
Our American species are all dioecio-polygamous, some
individuals bearing male flowers only — others male & female
(hermaphrodite) perfect. Among these seeds, then if the germs
mate & attain their growth, there are doubtless some barren
& some perfect. Is there any mode of knowing before hand
what plants you will have? The status of the future plant
must be fixed & unchangeable whilst in the seed. Has this
subject ever been investigated, — any clue to this mystery
been discovered, or is it like the sexual relations in
the generation of animals still a mystery? It would seem
that there must be some law which regulates the distribu-
tion of sexes. I am this I simply mean to say that as far as
the femininate course is concerned, we might expect the
distribution regulated by some fixed principle. E. G. In
this bunch of grapes, when we feel satisfied certain seeds
which will give us the Kind of individuals, are the seeds
arranged in any definite way? Will the seeds from the
upper portion of the bunch give us one Kind & from the lower
the other? Or does each berry contain seeds of the different
sexes — or are they distributed in some other way — or in
no fixed or definite manner? There are perhaps idle
vagaries, but I have thought that many plants, investigations
may lead to some knowledge on the subject. Have you given
any attention to the matter — or do you know if any investigations
have been attempted?

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

To return to the subject of my letter. I enclose two specimens of Yucca that you may see if you wish any of them collected in quantity for your proposed Herb. Yuccarum. I have also written to a friend in Charleston to make a collection in that neighborhood, which may suit you better as you could get elsewhere.

As the specimens I send are rather too large to be sent by mail, I will keep them until later in the season when I may have some thing else to be made into a package for the Express.

In the mean time I am my respectfully yours

A. W. Ravenel

Dr George Engelmann

If I should be making up a package for you would you like to have any more specimens of Nitella Specuilifera A. Braun, which one sent through Prof Gray to you several years ago, & if you sent to Prof Braun for determination. I have several specimens yet in my herbarium & can share you some.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd June 11th
ans — 19

Aiken S.C. June 5 1856

Dr George Engelmann

My dear Sir — Yours of the 28th ult came in yesterday, & as the time for collecting is limited, I reply at once. After sending you the specimens, I went out & collected other plants of B & C. & labelled them just as you have done viz B = & marginales var. diffusus & C = & dichotomus Ell. Since then I have found I. tenuis Nitd & I. setaceus Rostk. I also see two or three specimens of I. scariosus or perhaps effusus, two very to examine I may be able to find more. Perhaps your best plan would be to give me a list of such as you want in quantity, so that I may proceed at once to secure them without losing the time to hear from you. I never find I. marginalis (B) more abundant & larger. Just state which of the above you want, & what other, in case I find them. I commenced yesterday to collect I. dichotomus, by stripping off the entire branch or cluster & then shredding them in such a way as to leave a thin stratum with just fragments & a portion of the roots. I suppose such specimens will answer your purpose. I will endeavour to have each specimen a fair representation of root as well as inflorescence, & that enough to be laid down perfectly in your book.

With respect to your offer to remunerate me for the collecting I will merely say that believing it is made in a liberal spirit, I will accept your proposal. You will have done the for you can ample, & without any other reward than the gratification it affords me to assist in such labours,

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

under the peculiar circumstances, when (for the present) it is actually a struggle for bread, I think I ought not to decline any proposal by which I may realize something by my exertions, if at the same time you are receiving an equivalent. With respect to their value, I really have formed no opinion, never having had to dispose of such wares before. I am perfectly willing to leave it altogether to you to decide after you have received them. As I would have been equally willing to do it without compensation, so I shall be perfectly satisfied with whatever you think them value.

I can furnish one entire set (5 fascicles) of my Exsiccati, & another with the exception of the 1st fasc. The specimens are all thoroughly poisoned & the returns wrapped up carefully & pertinacious they should be overhauled occasionally & reparcelled if necessary In your warm climate here, I have had to resuscitate specimens in the set I have sent for my own use, several times I suffer them have lately to be kept until every thing is ready to go in one package. If you have any Cryptogamist among your acquaintances who is in want of Mougeot & Nestlers fine work "Stirpes Cryptogamae Vogeso-Rhenanae" in 12 vols I am willing to dispose of my copy. It was imported by Wiley of New York several years ago for $125. I sold mine late $100. It contains 100 specimens in each vol, especially Filices, Musci, Lichenes, Algae & Fungi, with an Index

I have no recollection of having collected Euphorbia cordifolia Ell. about here, at any rate I do not remember the plant. I enclose a specimen which I collected several years ago in the Sandhills opposite

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

near Columbia, & which I find in my herbarium without name. I have not seen Callitriche upon them, but will look out for it. No Isoetes grows in the state within my knowledge — I have Psilotum triquetrum found in a single locality in the low country. We have Taxaceæ rivers abundantly in the low country but not there. I never observed the fact you allude to as to the union of the cotyledons. Have you Taxodium Georgiana Centr. a deciduous Oak I found at Statesburg Mr in Georgia many years ago, & sent to Dr Curtis? I am not aware it has ever been found elsewhere. I can send you specimens with the fruit

Your observations on the Pines are interesting, & call my attention to make more close observations. I took a good deal of interest in the Pines of our State several years ago when I was intimately upon terms with Dr. Gladden Watt. from boy, & persistently neglected, & made examinations of the pollen, such as I will endeavor to get you the two species from below, & add what notes I may have on the subject.

The Transactions &c. & Seminoles have just come in today. Thanks you, I shall read them attentively as Seminoles with much interest.

You will be doing a good service to Botany if you can elucidate the genus Lilium, & reduce the multiplicity of species into intelligible forms. Dr. Sullivant is entirely wrong I believe in its foliage, stem & inflorescence. The quality of fruit of course varies much, in color size & flavour. I often wish our best botanists perceived in reducing all the

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

other forms to Lobrasca, aestivalis & cordifolia, than the task seems almost hopeless. I find them of all merging & intermediate forms apparently; especially of aestivalis (as I suppose)

Dr J. P. Wyllie of this state - (address Chester C.H. S.C.) has been very fortunate in hybridizing the grapes, foreign with Cemeterium & has preserved his notes. You may be able to obtain interesting information from him on these subjects

I am very respectfully
Yours &c
H. Ravenel

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Mrs Ravenel

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

1. marginata 2 branching

Here is a curious form of T. marginata which seems intermediate between what I call the "small" & the "large form" as described on the labels, only it is a long stem 2.5 ft. Plant at present with 10 stems 3 to 4 ft high. Difference in branching & spreading of the branches. I also suspect the three forms to be merely variations of the same species. The chief characters I can find are in the number of flowers, size, number & size of bracts, & the number of seeds. Flowers in the small form are 1 to 3 in a cluster, bracts 1/4 to 1/2 in long, seeds 1/4 in long, dark brown like the small form. Flowers in the large form are 3 to 5 in a cluster, bracts 1 to 1 1/2 in long, seeds 1/2 in long, light brown. The intermediate is like the large form in flowers & bracts, but has only 2 flowers in a cluster & seeds like the small form. Flowers in the small form are 1 to 3 in a cluster, bracts 1/4 to 1/2 in long, seeds 1/4 in long, dark brown. The large form has 3 to 5 flowers in a cluster, bracts 1 to 1 1/2 in long, seeds 1/2 in long, light brown. The intermediate is like the large form in flowers & bracts, but has only 2 flowers in a cluster & seeds like the small form. Flowers in the small form are 1 to 3 in a cluster, bracts 1/4 to 1/2 in long, seeds 1/4 in long, dark brown. The large form has 3 to 5 flowers in a cluster, bracts 1 to 1 1/2 in long, seeds 1/2 in long, light brown. The intermediate is like the large form in flowers & bracts, but has only 2 flowers in a cluster & seeds like the small form.

Russell 1905

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Note to J. Margaretae Vulgaris

As you wish an exact description of locality, soil & general collecting, I will state some particulars of our Botanical excursions as far as my little knowledge serves for your benefit.

The nearest country is known as the "Sand hill" region extending diagonally through our state from North Carolina to N.E. to middle Georgia or the S.W. It is mostly rolling, & the general character is that of loose sandy soil in some places it forms what "a turkey may be tracked" in other, moderately fertile. On the real sandy vegetation is somewhat peculiar the Pines predominate, & Quercus (Scrub Oaks) making the chief forest growth, Evergreen terebinthus, Bastisia perfoliata Lupinus Ceratiola ericoides & constituting the under growth. Just here the country is much broken & pales rapidly towards the Savannah River in a succession of hills & valleys. On most of the hill sides, the clay (common formation) clay, & soil below the white Kaolin) crops out & in most places. The soil is dusty, & after heavy rains quite wet. It forms in one mile West of the town of Chester, & it is on these deep places that I find the three species A, B (marginata) & C (= dichotoma). The general soil (in) form is light brown soil, with hints of mechanical, fertile, but on the hill tops the soil is very poor. The specimens of P. dichotoma were obtained from deep clay soil but I saw it growing freely even on the hill tops, though much more abundant. I also find these three species & P. teretifolia & P. ericoides the soil most such an exposure at their highest hill is four hundred feet in [illegible] P. dichotoma collected from [illegible]

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

The small form of Y. marginatus seems so constant in certain characters which distinguish it from the larger form growing here, that I collect both kinds — the large form on June 4 & 5th & the smaller June 15 & 16. I note the following differences. The small form blooms about one month earlier; my first specimens gathered sometimes in early part of May & near June 10 with mature capsules, whilst the other commences blooming about ~~end of May~~ beginning of June. The stems of the smaller form, are from 6 to 18 inches high, most generally single or with but few from the base, weak, not flattened. Leaves with an translucent vein (midrib) whilst the other has the translucent veins besides the midrib. Panicle smaller, head 4 to 6 flowered. Internodes of calyx shorter than the bluntly obovate reddish brown capsules (comparison can be made of seeds) Plant altogether in some localities, ripe & died with the larger form, & I believe the two are readily by the shape & color of panicle & the weak small stem as well as the smaller size. Even when they approach each other in size (companion large specimens of one with small specimens of the other, the difference in appearance is marked)

Specimen A collected June 15, 18, & 19 on the farm & also in rail road cut in front, in dense places.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

List of plants put up for Dr Engelmann

Rhexia virginica L. var. angustifolia A. Br.
Utricularia
Xyris caroliniana
Drosera longifolia
Rhynchospora cymosa
" Baldwinii
" corniculata
Gravii Kth
filifolia ? } no label in bottle examination
divergens Chapm. } but label in bottle examination
Eriocaulon Kornickii Chapm. This plant has not been found elsewhere to my knowledge
I have three specimens & send you one
Eupatorium Rotundifolium Gray. I know of no other locality when this species has been found
Sclaria triglomerata
Lemna ?
Cyperus Grisebachianus.
Agalinis Carolinensis
Baptisia Stipularis Raf. very rare
Euphorbia corollata Ell.
Epidendrum conopseum
Pinus glabra
P. inops } in fruit
P. australis }
Carya myristicaeformis (fruit only)
Rudbeckia ? Porteri Gray
Quercus Georgiana Curtis - species established on my specimens
Quercus (near Q. cinerea)
Eleocharis simplex
Eriophorum virginicum
Leptochloa Carolinensis
Physalis ——— ?
Juncus E. single specimen
Juncus F = an abnormal state of Rhynchospora Gravii Kth
Juncus tenuis single specimen

no. of specimens

Juncus repens — 265
J. setaceus — 134
" minor 100
J. pallescens.
v. fraternus ? 110
v. debilis 142
J. dichotomus — 125
small form 110
J. marginalis. large form 136
Do. intermediate 100
Do. small form = B 170
J. scirpoides D¹ — 120
Do D² 78
Do D³ 80
The above all alike but collected in different places
J. effusus

In view of the prospect which now is the subject of my last letter I am making collections of different things as I find them near me just by way of a beginning.
As I can always spare you a specimen, I will put into the package occasionally such as I think may be interesting. I am very fond of the Cyperaceae (except Carex) & look for the specially & I am a firm believer of Rhynchospora newly ready - would you like any of them? Say what orders in general you like most, & I may send you some

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

LINA

N Lt U.S.A. Assistants

ants.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

List of Plants sent to Dr Engelmann

Andropogon Elliottii
A. virginicum
A. macrourum
A. scoparius —
A. furcatus —
Acanthospermum xanthioides
Aster dumosus
A. patens
A. ericoides
A. concolor

Amaranthus hybridus —
A. spinosus —
Aristida dichotoma
A. lanata
A. gracilis
A ——— ?
A ——— ?

Apios tuberosa
Ambrosia artemisiaefolia
Asclepias verticillata
Aplectrum hyemale
Aplopappus linifolius
Aristolochia serpentaria
Asplenium ebenoides
Aster concolor
A. dumosus
A. ericoides
A. multiflorus
A. patens
A. undulatus
Astragalus canadensis
Baptisia leucophaea
B. tinctoria
Bartonia tenella
Berlandiera tomentosa
Bidens bipinnata
B. frondosa —
Cacalia reniformis
Calamintha glabella
Callirhoe involucrata
Campanula divaricata
Carex muhlenbergii
C. scoparia
C. stricta
Cassia chamaecrista
Castilleia coccinea
Ceanothus americanus
Celtis occidentalis
Cenchrus carolinianus
Centaurea americana
Cerastium nutans
Chaerophyllum procumbens
Chamaelirium luteum
Chelone glabra
Chenopodium album
C. anthelminticum
Cichorium intybus
Cicuta maculata
Cirsium altissimum
C. discolor
C. horridulum
C. lanceolatum
C. muticum
C. pumilum
Claytonia virginica
Collinsonia canadensis
Comandra umbellata
Convolvulus sepium
Coreopsis lanceolata
C. tripteris
Cornus asperifolia
C. circinata
C. florida
C. paniculata
C. sericea
Crataegus coccinea
C. crus galli
C. flava
C. macrosperma
C. punctata
C. tomentosa
Cuscuta compacta
Cynoglossum virginianum
Cyperus diandrus
C. filiculmis
C. inflexus
C. ovularis
C. strigosus
Dalibarda repens
Delphinium azureum
Desmodium canadense
D. cuspidatum
D. glabellum
D. grandiflorum
D. marilandicum
D. nudiflorum
D. paniculatum
D. rotundifolium
Dianthera americana
Dicentra canadensis
Diodia teres
D. virginiana
Dodecatheon media
Draba brachycarpa
Drosera rotundifolia
Echinacea purpurea
Echinospermum virginicum
Elephantopus carolinianus
Elodea canadensis
Epilobium coloratum
Equisetum arvense
E. hyemale
E. laevigatum
Erechtites hieracifolia
Erigeron annuus
E. canadense
E. philadelphicus
E. pulchellus
E. ramosus
E. strigosus
Eriocaulon septangulare
Eryngium aquaticum
E. yuccifolium
Eupatorium altissimum
E. connatum
E. coelestinum
E. fistulosum
E. hyssopifolium
E. perfoliatum
E. purpureum
E. rugosum
E. sessilifolium
E. urticaefolium
Euphorbia corollata
E. dentata
E. hypericifolia
E. maculata
E. obtusata
E. polygonifolia
E. preslii
E. serpyllifolia
Fagopyrum sagittatum
Festuca elatior
F. nutans
Fimbristylis autumnalis
Fragaria canadensis
F. virginiana
Frasera carolinensis
Galium aparine
G. asprellum
G. circaezans
G. concinnum
G. lanceolatum
G. pilosum
G. tinctorium
G. triflorum
Gaura biennis
Gentiana crinita
G. puberula
G. quinquefolia
Geranium carolinianum
G. maculatum
G. pusillum
Gerardia auriculata
G. flava
G. gattingeri
G. paupercula
G. purpurea
G. quercifolia
G. tenuifolia
G. virgata
Geum canadense
G. virginianum
Gnaphalium obtusifolium
G. polycephalum
Gratiola virginiana
Habenaria ciliaris
H. flava
H. fimbriata
H. hookeri
H. lacera
H. leucophaea
H. orbiculata
H. psycodes
H. viridis
Hedeoma hispida
H. pulegioides
Helianthemum canadense
Helianthus angustifolius
H. decapetalus
H. divaricatus
H. grosseserratus
H. hirsutus
H. laetiflorus
H. mollis
H. occidentalis
H. strumosus
H. tomentosus
Heliopsis laevis
Hieracium gronovii
H. paniculatum
H. scabrum
Houstonia caerulea
H. longifolia
H. purpurea
Hydrocotyle americana
H. umbellata
Hypericum ascyron
H. canadense
H. corymbosum
H. dissimulatum
H. ellipticum
H. gentianoides
H. mutilum
H. perforatum
H. prolificum
H. punctatum
H. sarothra
H. virginicum
Hypoxis erecta
Ilex decidua
I. opaca
Impatiens fulva
Iris cristata
I. virginica
Isanthus ciliatus
Isopyrum biternatum
Juncus acuminatus
J. brachycarpus
J. bufonius
J. canadensis
J. dichotomus
J. effusus
J. marginatus
J. tenuis
Juniperus communis
J. virginiana
Kuhnia eupatorioides
Lactuca canadensis
L. elongata
L. floridana
L. graminifolia
L. hirsuta
L. integrifolia
L. leucophaea
L. sagittifolia
L. scariola
L. spicata
L. villosa
Lathyrus ochroleucus
L. palustris
Lechea minor
L. tenuifolia
L. ——— ?
Lemna minor
Lepidium virginicum
Lespedeza capitata
L. hirta
L. violacea v. reticulata
Liatris cylindracea
L. graminifolia
L. pycnostachya
L. scariosa
Lilium philadelphicum
Linaria canadensis
Lindernia dubia
Lobelia cardinalis
L. inflata
L. puberula
L. spicata
Ludwigia alternifolia
L. linearis
L. palustris
Lycopodium carolinianum
L. dendroideum
L. flabelliforme
L. lucidulum
L. obscurum
Lysimachia ciliata
L. lanceolata
L. quadrifolia
Madia elegans
Malaxis unifolia
Marsilea quadrifolia
Medeola virginiana
Melampyrum lineare
Melanthium virginicum
Mentha canadensis
Menyanthes trifoliata
Mimulus alatus
M. ringens
Mitchella repens
Monarda fistulosa
M. punctata
M. ———
Muhlenbergia diffusa
M. sylvatica
M. tenuiflora
Myosotis laxa
Najas flexilis
Nelumbium luteum
Nuphar advena
Nymphaea tuberosa
Oenothera biennis
O. fruticosa
O. linifolia
O. pilosella
O. rhombipetala
Onoclea sensibilis
Ophioglossum vulgatum
Orchis spectabilis
Osmorhiza claytoni
Oxalis corniculata
O. stricta
Panicum agrostoides
P. boscii
P. capillare
P. clandestinum
P. commutatum
P. dichotomiflorum
P. dichotomum
P. flexile
P. gattingeri
P. huachucae
P. latifolium
P. leibergii
P. linearifolium
P. microcarpon
P. nitidum
P. oligosanthes
P. perlongum
P. polyanthes
P. proliferum
P. scoparium
P. sphaerocarpon
P. tennesseense
P. tsugetorum
P. virgatum
Panicum xalapense
Parietaria pensylvanica
Pedicularis canadensis
Penthorum sedoides
Petalostemon candidum
P. purpureum
Phacelia bipinnatifida
Phalaris arundinacea
Phaseolus helvolus
Physalis lanceolata
Physostegia virginiana
Plantago aristata
P. cordata
P. lanceolata
P. major
P. pusilla
Platanthera ciliaris
P. flava
P. hookeri
P. lacera
P. leucophaea
P. orbiculata
P. psycodes
P. viridis
Poa annua
P. compressa
P. pratensis
Podostemum ceratophyllum
Polanisia graveolens
Polygala cruciata
P. incarnata
P. lutea
P. polygama
P. sanguinea
P. verticillata
Polygonum amphibium
P. aviculare
P. convolvulus
P. cuspidatum
P. erectum
P. hydropiperoides
P. hydropiperoides v. opelousanum
P. pennsylvanicum
P. persicaria
P. punctatum
P. ramosissimum
P. sagittatum
P. scandens
P. tenue
Polymnia canadensis
Pontederia cordata
Potamogeton amplifolius
P. crispus
P. diversifolius
P. foliosus
P. heterophyllus
P. lucens
P. natans
P. nodosus
P. pectinatus
P. perfoliatus
P. pusillus
P. zosteriformis
Prenanthes alba
P. altissima
P. crepidinea
P. racemosa
P. serpentaria
P. virgata
Prunella vulgaris
Psoralea argophylla
P. canescens
P. cuspidata
P. floribunda
P. onobrychis
P. tenuiflora
Ptelea trifoliata
Pycnanthemum flexuosum
P. incanum
P. lanceolatum
P. linifolium
P. muticum
P. pilosum
P. tenuifolium
P. verticillatum
P. virginianum
Pyrola elliptica
P. rotundifolia
Quercus alba
Q. coccinea
Q. macrocarpa
Q. marilandica
Q. minor
Q. obtusiloba
Q. palustris
Q. prinus
Q. rubra
Q. stellata
Q. tinctoria
Q. virens
Ranunculus abortivus
R. acris
R. fascicularis
R. harveyi
R. pusillus
R. recurvatus
R. repens
R. sceleratus
Rhamnus lanceolata
Rhexia virginica
Rhus copallina
R. glabra
R. toxicodendron
R. typhina
Ribes cynosbati
R. floridum
R. gracile
R. rotundifolium
Rosa blanda
R. carolina
R. humilis
R. lucida
R. setigera
R. suffulta
Rubus canadensis
R. flagellaris
R. hispidus
R. occidentalis
R. odoratus
R. triflorus
Rudbeckia amplexicaulis
R. hirta
R. laciniata
R. speciosa
Ruellia ciliosa
R. strepens
Sabbatia angularis
S. campestris
S. gracilis
S. stellaris
Sagittaria arifolia
S. cuneata
S. graminea
S. heterophylla
S. latifolia
S. longirostra
S. obtusa
S. rigida
S. variabilis
Salix amygdaloides
S. cordata
S. discolor
S. humilis
S. longifolia
S. nigra
S. petiolaris
S. rostrata
S. sericea
S. tristis
Salsola kali
Sambucus canadensis
S. pubens
Sanguisorba canadensis
Sanicula canadensis
S. marilandica
Saponaria officinalis
Saxifraga pensylvanica
Scirpus atrovirens
S. cyperinus
S. debilis
S. divaricatus
S. fluviatilis
S. lineatus
S. pedicellatus
S. polyphyllus
S. sylvaticus
S. validus
Scleria pauciflora
S. triglomerata
Scrophularia marilandica
Scutellaria canescens
S. integrifolia
S. lateriflora
S. parvula
Sedum pulchellum
S. stenopetalum
Senecio aureus
S. hieracifolius
S. obovatus
S. pauperculus
S. tomentosus
Silene antirrhina
S. stellata
Silphium asteriscus
S. connatum
S. integrifolium
S. laciniatum
S. perfoliatum
S. terebinthinaceum
Sisymbrium canadense
S. officinale
Smilacina racemosa
S. stellata
Solanum carolinense
S. nigrum
S. rostratum
Solidago altissima
S. arguta
S. asperula
S. caesia
S. canadensis
S. decumbens
S. elliptica
S. flexicaulis
S. gigantea
S. glomerata
S. graminifolia
S. hispida
S. juncea
S. lanceolata
S. latissimifolia
S. missouriensis
S. nemoralis
S. neglecta
S. nemoralis
S. odora
S. patula
S. petiolaris
S. pinetorum
S. rigida
S. rugosa
S. serotina
S. speciosa
S. squarrosa
S. ulmifolia
Sonchus asper
S. oleraceus
Sparganium androcladum
S. eurycarpum
Spartina cynosuroides
Specularia perfoliata
Spergularia rubra
Spiranthes cernua
S. gracilis
S. gracilis v. simplex
S. lacera
S. praecox
S. tuberosa
Stachys aspera
S. hyssopifolia
Stellaria longifolia
S. media
Streptanthus hyacinthoides
Strophostyles angulosa
S. pauciflora
Stylosanthes biflora
Symphoricarpos orbiculatus
S. vulgaris
Tephrosia virginiana
Teucrium canadense
Thalictrum anemonoides
T. dasycarpum
T. dioicum
T. revolutum
Thaspium aureum
T. barbinode
T. trifoliatum
Tradescantia bracteata
T. virginiana
Triadenum virginicum
Trifolium agrarium
T. arvense
T. carolinianum
T. hybridum
T. pratense
T. reflexum
T. repens
Triosteum angustifolium
T. perfoliatum
Typha angustifolia
T. latifolia
Ulmus alata
U. americana
U. fulva
U. pumila
U. racemosa
U. rubra
Urtica gracilis
U. pumila
Utricularia cornuta
U. gibba
U. intermedia
U. minor
U. purpurea
U. vulgaris
Valeriana ciliata
V. edulis
V. pauciflora
Verbascum blattaria
V. thapsus
Verbena angustifolia
V. bracteata
V. hastata
V. stricta
V. urticifolia
Veronica agrestis
V. anagallis
V. arvensis
V. peregrina
V. scutellata
V. serpyllifolia
Vicia americana
V. caroliniana
V. sativa
Viola affinis
V. canadensis
V. cucullata
V. emarginata
V. fimbriatula
V. hastata
V. lanceolata
V. pedata
V. pedatifida
V. pubescens
V. rafinesquii
V. rostrata
V. sagittata
V. sororia
V. striata
V. tricolor
Vitis aestivalis
V. cordifolia
V. riparia
Xanthium canadense
X. strumarium
Zizia aptera
Z. aurea

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

cm 0 1 2 3 4 5 6 7 8 9 10
copyright reserved
MISSOURI BOTANICAL GARDEN

GRAND BAY

VERMILION BAY

CÔTE BLANCHE BAY

MARSH I.

Lt.Ho.

486'56

Pt. Chevreuil

ATCHAFALAYA

Belle Isle

Ballast Ground

Central Sh

Oyster

Shell Key

Pt. au Fer Lt.Ho

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Paspalum laeve
P. latistifolium
P. racemulosum
P. undulatum
Poa reptans
Platanthera ciliaris
P. cristata
Pinus australis
P. glabra
P. inops
P. mitis
Quercus Georgiana
Q. cinerea ?

Rhynchospora glomerata
R. cephalantha
R. cymosa
R. Baldwinii
R. ramifera
R. Grayii
R. divergens
R. globularis var. trichaeta
R. fascicularis
Rudbeckia Porteri
R. hirta

Rhexia ciliata

Sanguisorba canadensis
S. officinalis
Sarracenia flava
S. purpurea
Schizachyrium scoparium
Scirpus lineatus
Scleria triglomerata
Scutellaria integrifolia
Senecio tomentosus
Silphium asteriscus
S. dentatum
S. gracile
S. trifoliatum
Smilax auriculata
S. glauca
S. laurifolia
S. pseudo-china
S. rotundifolia
Solanum carolinense
Solidago caesia
S. fistulosa
S. nemoralis
S. odora
S. petiolaris
S. rugosa
Sorghastrum nutans
Spartina patens
Spiranthes cernua
S. gracilis
Stachys tenuifolia
Stillingia sylvatica
Stipa avenacea

Tephrosia virginiana
Thalictrum debile
Tillandsia usneoides
Tradescantia reflexa
Triantha glutinosa
Triodanis perfoliata
Tripsacum dactyloides
Tulostylis pubescens

Ulmus alata
U. americana
U. fulva
Urtica chamaedryoides
Utricularia cornuta
U. subulata ?

Verbena scabra
Vernonia angustifolia
V. noveboracensis
Viola affinis
V. cucullata
V. lanceolata
V. pedata
V. primulifolia
V. rotundifolia
V. septentrionalis
V. sororia
V. striata
Vitis aestivalis
V. cordifolia
V. rotundifolia

Xyris caroliniana
X. flabelliformis
X. fimbriata
X. torta

Zigadenus glaberrimus
Z. leimanthoides
Z. nuttallii
Z. venenosus

Juncus (A) debilis — 140
Do Do with new growth 110

Juncus (B) marginalis small fruiting specimens over 100 — 170

Juncus (B) intermediate form — 100

Juncus (B) large form — 130

Juncus (C) dichotomus — 120

Juncus (C) small form — 150

Juncus (D') scirpoides — 120

Juncus (D²) — 78

Juncus (D³) — 120

Juncus (D⁴) Canadensis — 110

Juncus (D⁵) candatus — 110

Juncus (D⁶) — 110

Juncus (D⁷) 5 or 6 specimens

Juncus (D⁸) — 80

Juncus (E) acuminatus & pratensis 110
viviparous specimens over 100

Juncus (H) repens — 260

Juncus setaceus — 130
fruiting specimens over 100

J. setaceus, small form 100

Juncus effusus — 110

1900 2308 1500

N.B. Of the several doubtful plants in the above list, I will be glad to have your opinion when I have examined them & have leisure time to write

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd July 9th
Ans July 13

Athens S.C. July 2nd 18[illegible]

My dear Sir Yours of the 18th ult came safely to hand. I have been making good use of my time lately in buying in a large stock for you. I have collected every thing I thought would be interesting without waiting to hear from you, as time is passing & I may be called off from the work. I have got some things which you may not want — if so you can throw them aside. I have collected for in every case more than the 100 specimens (I suppose you mean to issue 100 copies of Hart-Jane) so that you may have a chance & be able to substitute inferior specimens, but I only expect you to count them on 100 specimens. I have been very particular in getting all of a species in flower in our local city & as near as possible, so that there will be a certainty of their identity in each set of the work. Before I receive your last, I had collected three forms of D. marginata, the small & early form = B, the largest with large heart panicle & pedicellate stem, & an intermediate form. Since then I present all of these forms enough for me to distinguish them at sight & often, though growing on the same locality & under similar conditions I find only the largest form with heart panicle (2 to 3) heads, the others have only 6 to 10 heads. I will send them all with my notes made at the time. If ~~you don't wish~~ Then you don't wish to use, I shall not expect you to pay me for, more than you have engaged. The truth is, that often an interval of 12 or 15 years elapses which I have scarcely looked at Placerpans. I find my best for them so far returned, more

I have been corresponding & collecting for you, that I would in almost every day & take quite a pleasure in the search.
I have procured a fine supply of P. selaginoides — & have also specimens of a dwarfed form, which I will send, but doubt if they are worth a place as sufficiently distinct. I can find but one form of P. dacotensis, or rather I see but two kinds that you mention but as far as I can observe this difference is owing to location I see the stiff rigid heads like tenuis & then with branching recurved branches, the forms in between & degrees with, the often in near damp & wider soils. They go insensibly blend into each other, that I am satisfied here it is only the result of external causes, & no inherent differences. Besides P. dakotensis I have another form of P. pallescens in quantity, fine specimens
I have also a small form of P. scirpoides or allied species, collected in quantity. Fine specimens, some only in flower. I believe one. If it is desirable, I will collect enough of the material leaves to represent the fructification, & the under leaves.
How shall I send these collections, & to whom you ordered?
Some time ago I sent a package to Prof. Asa Gray. Mass: by Express with bill to be collected on delivery & his directions as to the manner of making the remittance. I could send by Express, but I cannot yet make out a bill until I know what you will want done with these things, nor their money values. In them any other mode by which you may make the remittance to me. Please state in your next letter. I allude to this subject now, as I am looking out for business, & employment of some kind, & should I succeed it may be necessary to alter my collecting operations at once as I could scarcely devote much time to them if I had other employment.
I have been looking over my package of Mr Chamberlain Chamaganan plants collected some 2 years ago, & have taken out a number of things which I think will be interesting to you to send with the package — & will send to Mr Gray at the same time

Since writing the above I have found a few specimens of D in another locality which I also inclose — & another sheet which I have seen before, but have forgotten to mention it

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd July 26th

Aiken S.C. July 20th 1866

My dear Sir The route in which I am lately been employed, that of collecting for you, has suggested a project which if it could be successful would be giving me a remunerative employment more to my taste than any other I can think of, whilst at the same time it would be a means of increasing our knowledge of our flora. I wish to ask your opinion upon its practicability, as your knowledge of European botanists & their wants, would enable you to form a better judgement than I could. Do you think that among the botanists, Scientific Societies, Libraries &c of this country & of Europe, there would be a sufficient demand for such collections as I could make among the Phaenogamous & Cryptogamous (Ferns Mosses, Hepaticae, Lichens & Fungi) as would remunerate me & give a living support. If the demand was equal to my ability to supply, I would feel no doubt of success, but I know very well that scientific men are a class of not wealthy men, & that their collections are generally made of a system of exchanges in kind. Still I have thought that having so wide a field, there might be demand enough to make the route remunerative. If I had an agent or reference in Paris & London or some other central point who could receive orders for special collections & through whom the transactions, could be effected, it would facilitate the matter

Of late years, the return of spring, especially has been a favorable

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

one, & if too much expense is not incurred in the prepara-
-tion of the work, might be profitable. Of course I expect to collect-
-ions to be limited to my own individual exertions, & must therefore
confine only a local flora. Then
There are two modes in which this project could be carried out.
One is, to make collections of every thing (Fungi, Phaenogams &
Cryptogams (as many specimens of each as were convenient)
label them properly & put them up in sets which may be offered,
or portions of them only, at special denominated or indicated.
The other is to prepare determinate parcels of certain families of
plants, somewhat on the plan of your Herb: Dene. (except that it
will not profess to comprise the whole of a genus) as Sullivant & Lesquereux
Musci Boreali, & my Fungi Exsic. . This last would be attended
with more expense, but could be remunerating by offer-
-ing the proper orders to them, & provided there were sufficient demand
to get them off. My visits to the Fungi have been but
little more than to pass the expense of paper & binding & printing
as I gave away more than half the copies. It might be
got up in a less costly style. I merely throw out these
suppositions as a crude outline of a plan which I would like
to undertake, & upon which I would be glad to have your
opinion as to its success as a remunerative occupation.
My last letter of the 2nd July is still unanswered. In it
I sent you specimens of Juncus rufus marked H. I had
just returned from collecting it, & though it looked familiar
I could not readily locate it, having lost or mislaid an

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd July 26
Ans Aug 12

other half sent to Gray

Aiken July 20 1866

some very ny specimens of that species. I collected on June 26th
what I suppose is V. pallescens, var fraternus? in quantity
Today July 20, I return to the locality & send the plants
giving a fine representation of the continuation of the axis of
growth. Perhaps you would like a quantity of these also
I enclose a specimen — if wanted, let me know immediately
I forgot to say I have collected V. reflexus in quantity which
you can use or not as you wish. I am one more species
not yet in flower, which is probably V. scirpoides or some
allied species, growing in clusters with stout stems, terete
leaves, 2 to 3 ft high. It will be a week or more yet
before I can get it in flower, & then some three or four
weeks later before the fruiting specimens can be collected
After that is collected I will then send off your package.
I inclose specimens of (V. pallescens) Gr, collected July 20
& then it in quantity collected June 21. — also specimens of
D[C] which I also have in quantity

In addition to the collection of botanical specimens
for sale, as attended to above, I have thought I might
do something in the way of collecting seeds of our native
plants (forest trees, shrubs & herbs) for the large seedsmen
& dealers in Europe. You could advise me in the
matter probably from your familiarity with European wants
& know that some of the larger houses have agents coming
making collections of American seeds. If I could

do this in connection with the other, it would be very desirable, as they would not interfere with each other. Let me ask your aid & advice on these points.

I am exceedingly anxious to get some remunerative employment, & have been trying for a year past — but as Kind of business is so dull from the unsettled condition of the country, ~~there is impossible to~~ that I already what I believe is daily, in our stocked with applicants by old business men than ever & employers to Some such work as this, would be most to my taste & previous training & habits than most mercantile business, in which I have no experience. I have been trying, to find Something to do for the Smithsonian institution & Bureau of Agriculture but they are filled — & I suppose a "Southern rebel" would be excluded by the test oaths. It would be very gratifying to me, to be able now to turn my botanical researches which I formerly pursued as a recreation, into a means of support. I can very also then take up my late correspondence, renewed since the war with my old & former friends, in quite gratifying to me, & give former & encouragement & aid want to my researches consolations & support. I have derived much satisfaction under these trying difficulties & trials, from the kindly feelings & sympathies evinced by my friends

I am very cordially yours

H W Ravenel

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Do you take much interest in the Leptochaetae? I find one here (rare) which must be either L. Bifetaria Tuck. or Sp. nov. — Have you that species? Chapman makes it a var. of L. mucronulata. If you have no specimen, I will send it to Tuckerman who I presume has it, for his specimens of L. Carolinensis

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd Aug 1st from Aiken S.C. July 26 1866
Ans Aug 12

My dear Sir

Yours of the 13th inst came to hand
day before yesterday, happening on the road, one from me
sent off last Saturday. As I have some business to
transact I would like to have, I reply at once.

I have examined your specimens of grapes as well as I am able, that is with my
pocket glass. I am at present, blind, that is
in a Mycological or microscopical sense
having dispensed with my microscope last winter for
my medical bills. I feel reluctant to part with
it as I have had it for 15 or 20 years & made
use in my investigations by its aid — & my good physi-
cian urges unwillingness to dispense with it until
I told him it would be a farewell to me!
I have studied very little on the Mycology of
late years, & did not expect to resume the
study of Mycology. Most of my researches & effects
in early life were done when I resided in the lower
part of the State, about 40 miles from the Sea board
My health failed & I came up to this elevated sand-
hill region for its restoration, where I have been
living since 1853. In my old botanical grounds
we have a very abundant & interesting flora,
but how there are but few fungi. For the last
5 years, or during the war, I scarcely bestowed
into botany — & at its close, when I found I should
have to go to work for a living, I resolved to lay
by all such luxuries & superfluities. I found to
that the use of the microscope, or any long continued
efforts affected my health so much & so invariably
that I had to discontinue its use very much on that

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

accent. It begins at nervures & passes
similar to the attached & then ends in a general
mantle broke down.

Back to return to your enquiry. Of course without
an examination of the structure & particularly
it is impossible to designate the genus. I would not
suppose it was a Stemonitis from such superficial or even
internal. You say it is destructive to the grubs
& it must be remarkable that the rot in grubs is caused
caused by unhealthy action of the leaves

I have been made a microscopical examination of
the grubs leaves, but from this library & dry soil
& dry atmosphere I infer the parenchyma is composed
of numerous & closely compacted cells, with few
air spaces & few stomata. The grubs not always
bottom a cool & cloudy or wet time & weather
during the month of June or beginning of July, when
the growth & the being is progressing & the seeds mat
uring. I suppose the leaves become overcharged
with sap, from the absence of the light & warmth
of the sun, & unable to discharge their fluids,
the first begins to decay. This is the first appearance
afterwards the leaves assume an unhealthy appearance
& finally change color & crisp — & as a consequence
the word dry rot seems is more an effect
unhealthy & immature

I am glad you are about to take up the North American grasses. No one who has been out in the woods & seen the meanders would in forms of the leaves can be called variation & not the present arrangement. Old Mayor La Conte a few years ago, made a dozen or more species out of the Magnoliae. Double or treble that number could profitably be so easily made & yet the present restricted species are none too strong characters to be blended. I find N. Carolina constant & without appreciable variation. The cultivated ranunculus & anemones have an endless color & form, while at the same time wild flowers, which at first sight look alike, are often very different.

N. Carolina is rich & botanizing is much more interesting.

N. Carolina & N. Georgia is very very much — & I have seen of neither of the other — though the latter I saw from a few miles apart.

Since my last letter to you I have collected for you respecting the finale from N. Carolina mentioned in the report and pencilled the N. Carolina. It grows when they

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

hill below about my farm). I also collected
4 or 5 others. I found a few days ago
a dozen or more specimens of what I suppose
to be 4 different species all growing in clay
sandy ground near my farm. Most of the pan-
icles had 2-flowered heads. I looked over
carefully for more but without success -
Cole & others found in net placed on my farm
& are many (several (4 - 10). I have these
forms & marginales collected in quantity

If I could have 2 or 3 weeks in my
old botanical ground below, I think I could
add several more to my stock.
I may be able get to go down before the
season is over.

I am very truly yours

The attempt to have some
species I have collected in Charleston is a failure
I received a few days ago samples of the specimens, sent by
mail. On opening the package I unfolded a large
salt water grass of some kind about a yard long
the head cut off - & of course nothing to tell what
it was - probably a Scirpus. A strand from
my flour matting would have been as satisfactory
I wrote to the friend not to trouble himself any more
with sending them by mail
That depredation I wrote about in my last letter is
a Carolinianum as I suppose, though I never saw it before
I enclose a small specimen

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd Sept 3
Ans'd Sept 17

Aiken S.C. August 27th 1866

GEORGE ENGELMANN PAPERS

My dear Sir

I received yours of 12 inst. a few days ago. I have now heard from Gray, Tuckerman, Curtis & yourself on the subject of which I write & the opinion of all agrees pretty much with the conclusion I had arrived at. viz that the work would be an arduous & would exclude me from often accessible European dealers in seed & plants, & he tells me nothing much can be done in that way either, but advises me strongly to undertake a market garden & Nursery, as being highly profitable & also congenial to my former habits & tastes. He has also very kindly & liberally offered to aid me in making a start & I have decided to adopt that plan. I am now only here staying a little to locate it up here, or more desirable Charleston where there are greater advantages. So the botanical collections & seeds were only to be first steps which led me on. I begin to see some prospect ahead of making a living & I feel cheered & encouraged to go on. I pray God to grant success. I will remember that the first state in the Landscape & the first supper I owe from my collections for you. Now for your letter

Do I read your writing aright, that Lemaneki original Yucaes pallescens is a "South American"

6-anthers pleat?

On receipt of your letter I went next day to get that specimen varied I. pratensis, but it was all gone, - dried away & dead. Pity! for I could easily have got you ten more. You will recollect I wrote to you that I had not collected it in gem -ity but would wait until I heard from you if it was wanted. I have sent several specimens in your package for gem in herbarium.

The large & late Juncus referred to is at length in flower & I believe now there are two distinct forms of that. I enclose specimens. Juncus D[4] I collected in quantity on 24th about 2 miles off in an old mill head. Juncus D[5] grows on my farm but is not yet quite ready. The specimen enclosed is one of the most advanced & has a few open flowers. Besides the comparative of the heads, on the difference in the sepals - they are both 3-anthers & both have terete, knotted leaves, but D[4] grows in more dense clusters & has a generally more rigid & stouter stem. I will collect D[5] as soon as it is ready, in a few days.

I have Juncus D[1] & D[3] in pale quantities for +also the mature fruit D[2] & collected ale of D[2] about 75 specimens but I think it identical with D[3] and grows in a more shaded place. Have two best & which I indeed only the heads, have stems 2½ to 3½ ft high I have an specimen of Lilium canadense in front but could only find leaves of Calluna. I will give you L. pulsina. As I am now busy collecting large & commence with a view of making them up for sale, I will put into your package a specimen of every thing as you are not "every thing" I will look especially for Artemisia, Eupatorium & similar Xyris & very often fail. I enclose what I suppose is Cuscuta campestris. Yours very truly H. H. Rusby

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Aiken S.C. Sept 21 1866

My dear Sir

Your letter of 7th inst reached me a few days ago. I am glad to hear you collected so much, & also to hear about the species which I had not before. My namesake Scirpus has proved a good name for it, & I suppose there is no question about the identification. It was one of the very characters which I relied on as distinguishing the species, viz. the number of stamens. I made no critical examination, as my time is pretty much occupied now in the collection — & drying the new specimens which I had on hand when the mail left. But how do you get over the fact of the number of stamens in Fimbristylis & Chaetaria? Gaudichaud's Cyperaceae of Freycinet's Voyage, which I have in my library, describes Fimbristylis as having 3 stamens, & Chaetaria 2. Gaudichaud's figures also bear out this statement. Dr. Torrey, however, in his Flora of N. America, makes Fimbristylis to have 2 stamens, & Chaetaria 3. Dr. Gray in his Manual follows Torrey in this respect. Now I have not dissected any species of Fimbristylis, but I have dissected Chaetaria, & find that it has 3 stamens, as described by Gaudichaud. Dr. Torrey's description of Chaetaria is evidently taken from Gaudichaud, as he has copied the latter's description word for word. Dr. Gray's description of Chaetaria is also taken from Gaudichaud, but he has omitted the word "3" before stamens, & substituted "2" in its place. Dr. Gray's description of Fimbristylis is also taken from Gaudichaud, but he has omitted the word "2" before stamens, & substituted "3" in its place. Dr. Torrey

for you. I have been careful in getting the specimens from one spot & of the tufted or cespitose kind, from a few branches growing close by, so as to ensure identity of specimens, which I know is of first importance in a study of this kind! And in the collection of climbing specimens, I return to the same locality & species, & select a single.

On the 19th I went to the old mill pond two miles off & where I got flowering specimens of Convolvulus (D4) in abundance, & procured also two good specimens of fruit. I am a week or ten days will get fruit of C. candicans D4, & then I can will be blessed rid for ten years. If I could have gone down to my old collecting grounds in the lower part of the State, I think I could have added several new species.

Whilst I have been, I am employing my time in making general collections for sale. Mr Berkely of England to whom I wrote about my project, immediately on receipt of my letter inserted an advertisement for me in the Gardeners Chronicle, & I have already had ten applications from Europe, one for plants & one for seeds. He tells me that such collections can be sent out 30% per cent — & Prof Gray says about $8 per 100 which is pretty much the same.

I have been out to-day collecting & pressing plants I find 3 species in my farm. One I think is L. tortuosa Smith, but the other I cannot get local. I find after so long an interval Phanerogamous I have been looking for, much as I think I have to do more I am also finding I have forgotten the species, & also find many

things up here which I am not familiar with & which require time to ascertain.
However it is all pleasant work, & is like travelling and old ground after a long absence. It is good to have such a relaxation to direct the mind from the irritating game of politics. The political sky looks terribly overcast, but we here who have been living for 6 years in storm have got somewhat accustomed to such things. The rain and weeping skies seem to be natural, & may last in force for a week or even a month, & may last in less than a year.

You say of your letters you say "send every thing". Do you mean letters? or specimens of every thing I am collecting? As my collections were on a general, there may be many sheets you would not care to have, except as they represent our South Eastern Flora. I am collecting for instruction & keeping by me every sheets of Phanerogams I collect. I intend some small specimens of a few things I have lately collected of which I would be glad to have you specimen. About ten or three weeks hence I will have your packages ready for you. & will send it by Express

Yours very truly
H W Ravenel

I had almost forgotten something which I have had in my mind to ask you for, & that is your photograph

of. contade <u>viride</u> Zeze. enclosed in
letter. Ph. gen. herein & Rhus copal. (&
malic on Quercetin. Yale esteems it
a species.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd Octob 24
Ans Nov 8

2 Letter of April 21 Glaziou
offers his Fungi L $6 per vol

Aiken S.C. Oct 18/66

My dear Sir Your letter of the 2d inst, came to hand a few days ago. That Lespedeza still puzzles me, — in this viz, that a species so abundant as this is, in & around Aiken, — & found by me also in two localities of this State several years ago (specimens of which you will find in the box) should have been so long overlooked, unless it be a foreign plant lately introduced. If I am not mistaken, I sent specimens to Prof Gray several years ago, & called his attention to its characters. In my Mycological diversions since that time, I had forgotten it, until it turned up here again. You can readily ascertain by reference to the Pandrones if it is a foreign species. I packed with my Ms, of Decandolles Pandrones & Kunths Enumeratio Plant. last winter under no'clock, — & now have not the means of examination. It is clearly distinct, & far enough removed from any described American species of Lespedeza. Though not generally diffused it is very abundant in certain localities, which cause suspicions of its foreign origin, viz about the streets of Aiken, along the Rail road, near Road sides & on my farm, covering sometimes large patches & on no gels square. It is strictly prostrate except when very much crowded, on rich & damp soils, when the branches become ascergent. The same remarks as to diffusion will apply to Acanthospermum Xanthioides

I have now come to the end of the collecting season, — & will send off two large boxes for you in a few days by Express. I have had on the whole a pleasant summer of it, though I had to take very few walks occasionally. The revival of old acquaintances & now & then the sight of something new to me, kept up a lively interest. I think I have also two or three undescribed species. You will find several things in the box of which I am doubtful. There I have numbered in such a way, that I can understand your allusion to them. When you have made an examination I should be glad to have you speak upon them.

Since my last letter I have added three more forms of Veronica viz D^6, D^7, D^8, the first & last in quantity. My notes accompany the specimens, so I say nothing of them here.

In the boxes you will find one full set of my Fungi Exsiccati nine vols, & another with the exception of vol. 1, which I cannot furnish, making nine volumes, which you ordered early in the summer one for yourself & one for the Missouri Bot. Garden. The specimens were well pressed, & the vols. sealed up as soon as completed. They have not been opened since, but those which I have opened at various times, have all the specimens well preserved. They will need looking after occasionally, — & if troubled by insects, a wash of Corrosive Sublimate dissolved in alcohol applied to the specimens with a pencil or brush, will destroy them all. These volumes I am now selling at $8 per vol. Last winter I sold at $6, but the depreciation of the currency & the very high prices of articles of necessity, justified me & thereby in raising the price. I cant recollect whether I offered them to you at $6 or 8, but whatever it was, that at which they were offered will be the price.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

with respect to the other collections. I am at a loss what terms to fix
You said in one of your early letters ordering them thus "You will permit
me to pay you the amount you will specify for these collections — & please
let me know what I owe you". I would prefer leaving it to you to affix
a value after you have seen them. I have distributed many thousands of
plants, some in exchange & some gratuitously, & was always contented with
my work as a "labour of love". My pecuniary means never induce me to
accept your offer of compensation, but the number is so large, that
the ordinary price at which I am offering my collections would make
too formidable an amount. Believe me when I say, I will be perfectly
satisfied with what you think a fair value. I will add this as an in-
dication of my wishes. If you design dispersing of the species of your work
"Herb. Juncorum" &c (or many of them) so as to cover the expense of publica-
tion, I will feel better satisfied at receiving what may be considered
the full value of the collections — but if you do not expect to sell any of
the species, I would be unwilling to encumber a work designed for
the advancement of Botanical knowledge with heavy extreme to it's author
So, my dear Sir, in this blundering way in which I have expressed myself
you will see I am like the poor apothecary in Romeo & Juliet
"My poverty but not my will consents".

Among the miscellaneous plants, you may find some things
not wanted. For that case I have them laid aside. Of Miscellanea there are
about 220 species, — of Juncus are 2000 specimens, not counting in
the mature fruiting specimens. The amount you can transmit
to me by a check on New York, which is always negotiable

I found fruiting specimens of Pinus mitis a few days ago, & have placed
them in the box. I regret not having been able to get P. serotina
especially as Gray & Chapman are inclined to reduce the species,
(which I consider a good one). If life is spared, I will make an
effort next Spring either to go myself or get some one to collect
flowering specimens.

I do not expect to issue any "published sets" of
plants as you infer. My collections are simply offered as specimens
of Southern plants at the rate of $8 per cent; or per as they go. & to the num-
ber that may be ordered. They will be labelled & placed between sheets
of ordinary paper when about to be delivered, as is usual in sending out
such collections just as I have done with yours

Thank you for the favour of your Photograph. I have
no copy of mine to send you in return now, but whenever it is taken, you
shall have one.

I enclose a list of the collections sent in the two boxes.

Very respectfully Yours
H W Ravenel

I hope you will not forget me when the last portion of your "Monographic
on North American Juncei" is published — I need scarcely add that I
will give me pleasure to serve you in any way I can at any & all times
I have a cabinet of minerals & fossils & recent shells that I wish to dispose of.
The minerals labelled & sent to me by Prof. C. U. Shepard — The recent shells from our coast
& fresh water streams — the fossils from the Eocene & later formations of this & other
any of your scientific societies or individuals in St Louis must such a thing

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Rec'd Nov 26

My March 6 1867 Aiken S.C. Nov 19 1866

My dear Sir

I received your letter of the 8th inst with check for $140. inclosed, on Saturday last soon after I sent one to the Post office for you. I write again to acknowledge the receipt of this. I have had the check cashed without difficulty. I am entirely satisfied with the amount you have sent, & it has rather exceeded in some respects what I had expected. But your criticisms have given me some disquietude, & you must now screen my defences. I have really tried very hard to get you good specimens, the best always that I could. The intention to continue throughout the season, has been to furnish such a set of plants as would afford a fair illustration of our species here, & I have laboured very diligently towards that object. With respect to most of perhaps of the specimens, I gave them such an amount as I thought sufficient, without dispersing or crushing too much. It is probable that they have become more dry from natural electricity, after coming from the press & remaining piled up simply in sheets in a dry atmosphere. I gave the exact number of specimens of each species as nearly simply for you as convenience, not expecting they were to be counted for more than 100. I found from experience in keeping dried Fungi Exsiccati, it was necessary to know in every case the number of specimens, so that I could duplicate inferior specimens to the extent of the surplus. This I thought would facilitate your labours. You will remember that you gave me a list in the early part of the summer of such & such species you wanted here. When later in the season you included I suppose to the whole form of Dichotomies, it was too late to get

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

better specimens. You must also bear in mind that when I commenced collecting in the spring, it was ~~late~~ starting in a new & untried field. I had never made special collections of Phanerogams up here, & did not know what & where to find or when to look for them. As soon as any new species was discovered it was at once secured. In that way I ~~may not have~~ collected V. dichotomus, & afterwards found it so abundant that I might have got better specimens by waiting. V. fraternus was only discovered after flowering & maturing up the fruit. For V. canadensis & V. riparia I had to walk 2 or 3 miles to an old mill pond, & if they are not as good as they ought to be, you must blame the hot blazing sun I had to face. That days exertion nearly knocked me up altogether.

If you do not ~~have~~ the Herb. Fauc. before another season, (I suppose even if you make a start, you will not have to enter two copies perhaps) I wish you to make out a list of such species & varieties as you wish strengthened with more specimens or even to the extent of ten entire numbers, & if my life is spared, I will collect again next summer, with the aid of the experience I have had of their "terms & localities". I wish thus as a satisfaction to myself, & to gratify the interest I feel in giving you a good representation of N. C. Flora

With respect to these Cucurbitaceæ, you said "send every thing" — & I took you at your word — but you remember I said also, If there were any things you did not want, to throw them aside. I regret your disappointment at the quality of the specimens the more, because I think you were induced to take many of the things in order to give me a lifting hand. And besides, I have always prided myself somewhat

on the good qualities of my specimens & the manner of their preparation
Make me that list of your desiderata at your leisure, & I will
try next season to replace whatever may not be thought fit for
your work.

You wish me to state "what are the more common, conspicuous,
or interesting & characteristic plants accompanying the different forms of
Juncus" I think I have stated something of that kind in some of my
notes, but I will do so again from memory

J. canadensis – wet places – with J. canadensis, Scirpus Eriophorum, Eleocharis tuberculosa
Rhynchospora capitellata, R. glomerata, Sarracenia rubra, Lilium superbum & spathaceum

J. setaceus – wet places. with Lycopodium Carolinianum, Xyris (smallest species sent) Utricularia
Scirpus Eriophorum – Eleocharis obtusa. Juncus debilis

J. debilis. damp ground. with J. canadensis, Rhynchospora glomerata, Juncus marginalis
Xyris – ? (small form) Cyperus strigosus

J. repens. damp ground. with Xyris (small form) Utricularia subulata, Lycopodium Drosera

J. marginalis. wet places. with J. debilis, J. canadensis, J. dichotomus, Xyris tenax
Fuirena squarrosa, Cyperus flavescens

J. dichotomus – common form – low ground – more generally diffused than
any other species & therefore with more mixed accompanying
plants. The small form on dry sandy soil with Drosera gracilis
Sheep bolees indicates & S. ~~capitata~~ juncea

J. scirpoides D' damp ground. with Rhynchospora cephalantha, Lycopodium Carolinianum
Xyris (small form) Fuirena squarrosa, Gerardia pinnata

J. scirpoides D³. damp sandy soil, with J. dichotomus, Cyperus flavescens

J. Canadensis – wet ~~flats~~ boggy places. with J. effusus, J. fraternus
Eleocharis tuberculosa – E. simplex – Sarracenia & spathaceum
Scirpus Eriophorum, Hagaea Michauxii, Fuirena squarrosa

J. candatus. wet places (pine lands). with J. dichotomus, J. debilis, J. marginalis
Xyris (small form) Fuirena squarrosa, Sclenia lacka
Leersia oryzoides, Rhynchospora macrostachya, Carex glaucescens

J. fraternus. wet boggy places. with Eleocharis simplex, Scirpus Eriophorum
Sarracenia & spathaceum

Has the last part of your monograph on Juncaceae published in Proceedings of St Louis Acad. of Science been issued yet? If so will you remember me when it is published. You sent me the first part some months since.

Yours very truly
H. W. Ravenel

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

I scarcely think it necessary to make any comments on the species sent, beyond the notes which accompany each set. They give you the means of comparison with the other specimens from you obtain from other quarters, & will enable you to come to a more satisfactory conclusion.

D^1, D^2 & D^3 are I suppose forms of I. capsicoides — D^1 being distinct from the other, while I think D^2 & D^3 are identical D^3 is undoubtedly Chaetonura I. caudatus, agreeing quite with his description except in number of stamens which you say are variable.

D^4, D^6, D^7 & D^8 have some points of resemblance & some of difference. They all have long tailed seeds & are all 3-androus except D^8 which is 5 androus.

D^7 (only a single cluster) flowered early in August I think, about a month before D^4 — D^4 I brought for the first time on Oct 8 & growing in wet places on my farm with I caudatus. The latter I. caudatus I find very abundant on my farm, & in wet Pine land branches in the adjoining woods, readily distinguished at a glance by the lesser panicle & the very much coloured corollas

H W Revenel Nov 1866

0 1 2 3 4 5 6 7 8 9 10 cm
copyright reserved
MISSOURI BOTANICAL GARDEN

ASTER SACCATUS. FRIES.

ad terra lignosa, circa truncos.

OCARPUS VERNICOSUS. LINK.

Diderma vernicosum. Persoon.

Leangium vernicosum. Schwein.

ad ramulos, folia, &c.

)IDYMIUM CINEREUM. BATSCH.

in graminibus.

'IACHAEA ELEGANS. FRIES.

D. leucostyla. Schwein.

ad ramulos, folia, &c., in sylvis.

CORIAS SPONGIOSA. FRIES.

Botrytis? spongiosa. Schwein. Syn. Car.

ad ramos et folia, praesertim. Fagi et Alni.

ILBUM CINNABARINUM. MONTAGNE.

truncis dejectis Aceris.

POROCYBE CALICIOIDES. FRIES.

in rimis corticis Populi.

93. ÆCIDIUM PINI.

Peridermiu

ad folia Pi

94. ÆCIDIUM CUMI

foliis Cimci

95. PUCCINIA XAN

foliis Xant

96. PUCCINIA ACUI

Puccinia

foliis Podo

97. PUCCINIA AMO

foliis Amo

98. PUCCINIA VER

foliis Verb

99. PUCCINIA GRA

in gramin

100. UREDO RUBIG

foliis Hor

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd April 12th

April 17 1868 Aiken S.C.

My dear Sir — your letter & the Herb. Venus came together yesterday — the latter in good condition except a slight [illegible] of rain from the Port Royal. I was delighted to see it — & immediately got into the contents. Variety nine species & each marked varieties & Uncus in the U. S.! Pity you had not completed the century. I know I could add one or two more, if I could wait & strong enough to go over my old botanical grounds on the Seaboard. The package is quite neatly prepared — & there is a pleasurable interest in looking over such well prepared, well studied & thoroughly named specimens of a perplexing refractory genus. To say, thank you for the beautiful present is unnecessary after saying how much I value it. I hope you may do the same service for the Grasses when you return. I have never been satisfied with the present arrangement. Labrusca & vulpina, perhaps are fixed & definite, but between Aestivalis & candicans I see forms which are very puzzling — intermediate & even divergent. I fear I can do you but little service however among the Grapes & Pines. I have been very much & an invalid this past winter, scarcely able to leave the house. On these dry sand hills and Aiken there are but few wild grapes, & I am not able to go from about the deep woods and swamps where the Scuppernong, when I formerly drew such drawings If I am ever there in the season to get Pines vegetative or R. flowers, in flower or in fruit, I will certainly not

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

repeat it.

"Away 15 months"! a vast period in these fast times when the political fly wheel is making such rapid revolutions. I wish you a prosperous voyage, a pleasant visit to the old country & a safe return home.

Very truly yours

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec April 25th
Ans April 26

Aiken S.C. April 20 1870

My dear Sir

Your letter of 20 ult has been received, & have by mistake opened your specimens of Pinus in Flower. I am just now disabled from doing much walking, but I sent my son yesterday to ten I saw two from which we got ten cones of P. serotina in Nov. last (specimens of which I sent you) & he got me ten specimens which I send now. I fear ~~they~~ are no longer valued enough to keep — the female flowers look rather advanced, but the staminate ones seem to be in good condition. He examined ten trees about ten miles off & ten flowers on ten only yet developed. I hope they may serve your purpose.

I also inclose a specimen from each host-tree. from a small tree near the large one, which shows the three leaves. This is quite interesting in

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

elucidation of Alaskan races on the subject.

I enclose also specimens of P. viridis from central Montana, in flower.

Pinus flexilis Mexico, does not grow near me, but I wrote to my botanical friend near Los Angeles, who lives on the Southward, (whom I formerly knew and made my collections) & requested him to procure specimens in flower. This healthy is very feeble at present but I hope he may be able to do it & procure them for me.

If he succeeds, I will send them at once to you. I planted out seeds last Nov. & have one or two dozen very plants up & growing If they do well you should have one next winter.

You allude to flowering specimens of "P. australis" sent you by Canby, as if they were new to the list. Did I not send specimens two years ago, when I was

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

collecting Ferns & other things for
you. I am sure I need not urge
as I collected a number of them for
that very purpose.

very truly yours
H. H. Rusby

Can you put me in communication
with any European Algologist who
would like to have American fresh
water & tree specimens of Algae

There is a boy employed in
here after school for this Dept. of
Cryptogamia, & I would like to give
a helping hand to one who is study-
ing the subject. I have been collecting
for Dr Wm of Phila. but I think
he is giving up Botany. finding
it necessary to devote himself more
to his profession. I know of no one
else in this country who is studying
the Algae.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd May 9th
Ans. same day

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Aiken S.C. May 4 1874

My dear Sir

Your letter of 25 ult came to hand on Saturday, & not being well enough to go out, I sent to my room after Prinos serotinus — Specimens & which I will mail to-day for you.

I made no mistake, as you suppose, in confounding last Spring's with the true Prinos. I send to you (Monet) Hist. des Arbres
Coxe [illegible] but I suppose you will find your specimen, it had already flowered.

I take the specimens I send to-day of P. glaucus & P. undulatus with the flowers some height on the quarter & "apical pruinose"
If I were only well enough to go out into the woods I could take the examin the other Prinos also named here. viz P. serotinus, & tardus. With respect to serotina & viridis, as I understand the matter, the manner of growth is as follows

At the close of the growing season, only the axes of growth are terminated by a long cylindrical bud (1) which remains dormant until spring. This bud encloses the growth of the following season just as a grafted bud encloses the buds of the following spring. On the appearance of warm weather, the bud begins to elongate & develops into a terminal growing axis & about the time they are reproduced in figure 2. a = female cones of this season just after flowering d = cones of last year '69 which will mature in Nov. 1870



Few will mature from the specimens sent home much more rapidly the axial or longitudinal development is than that of the lateral (thyllend shoots or secondary leaves, so-called). And in connection with them, that we call year

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

attention to the imbricate scales on the young branches, & part of the leaf system, & I suppose following in their arrangement, the phyllotaxy of the branches & the cones.

I suppose in nature y these species, can the pachyphragma be called terminal for here on the young cones placed on the sides y the shoots & at ends of internodes apart.

You ask, why is P. serotina called the "late" one. I have never seen ripe cones of typical P. serotina, but the clue to the name is to be found in Purshi Flora, where he says of this species. — "This & the preceding (viz P. rigida) ripen their seeds only after the second year" Call the Pine that I know, ripen their seeds in 18 months (2 years - so-called). Does Pursh mean that P. serotina takes 30 months! I sent no specimen of it. I told my son to look out for them

"adventitious shoots" from the base of the trunk. He says them on one of the trees of Pisonia — but we can't make out whether that was also seen them in other trees — nor could we make out how the flowers in the Seedlings (Elliotts ground) be- have as to sex — & whether the same- were in flower & fruit.

I am taking quite weak today & can write no more but will write later. I have put myself in the Doctors hands, & have been pretty much confined to the house for the last 3 or 4 weeks.

Pisonia collected May 3rd
Pisonia " May. 30th

H M Parsons

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Ans 1 2 3 4 1/4 L

Aiken S.C. May 18 1870

My dear Sir

The Pain question is becoming intensely excruciating — but alas! I can do nothing for you.

I would like much to go out in the world & find the answers. Is there [illegible] [illegible] anywhere that will [illegible] [illegible] but I cannot [illegible]. For some [illegible] I have been suffering from a malady which has troubled me at intervals for many years past — a constant soreness amounting at times to acute pain in the lower part of the abdomen. My physician thinks it is in the muscles of the small intestines. I have been [illegible] to [illegible] often any long walk or any great bodily exertion, but can rest for a few days [illegible] [illegible] sufficient to set me [illegible]

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Thus attach her bonds and keep me
her made me very weak. I find it
difficult to get about to see persons.
I am still confined from [illegible]
and walk across my room) that it is a serious
matter & to change my position
in bed. I must keep this
up for [illegible] I am quite
exhausted & confined to
the house. He may decrease to nine days
He knows best.

Mr respect to the period of
making fruit in P. carolina, I will
state all I know about it. Last October
I sent out Mr Henry, who by
the way, is collecting & studying botany in
the interests of Cuba on the farm to
get Pecan seeds for Ag. Department.
He collected from trees very true from which

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

I have been reading your specimens, & they are indeed most acceptable. One of the Conifers which I brought home, & which is now before me, presents the appearance

Oct 16 1864

of an exactly as it is. On referring to some notes taken at the time & transcribe the following. "I found one Conifer" (which is then above) "with the pale green cones of 3 different years, & as the appearance (No 1) even pale green & must have been the flowering of 1858, the oldest (No 3) must be of 1865 = 4 years ago" "I observe that the youngest (No 1) is green (alive) like the rest of this species, & those below (Nos 2, 3 & 4) are pale chestnut colour" "Now at that time I thought it seemed to have the period of maturation to be two to three years, but two circumstances seem afterwards to make it

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

dark & full - 1st the specimen & the specimens to have abortive cones of both sorts. When & how to have the abortive cones to open in a few days & shed their seeds. They have remained closed, & on abortive. Now the suspicion is that Nos 2, 3 & 4 may have been abortive cones remaining over from previous years — & got the had a light to have left open & with the mature stained appearance of old cones.

2nd One of the specimens sent to you last, contains two distinct sets of cones of 1870 — viz opened & shattered, & closed & scarcely ripe — Which fact may serve to throw light on some of them which are deformed.

I think that if a critical examination of the trees during the summer months, when the cones are ripe & green, this question might be solved.

I will state in reply to your question 65 P. taeda is not very closely allied with rostrata", that at a distance they may be confused, but the cones are very distinct. I had about a bushel of cones

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Nov 21 1870

Since drying mine each often in water & although they sometimes intermixed, them were no difficulty in separating them. The seeds also are different.

Another matter. I was well aware of the fact which you mention, that each year's growth may be distinguished by its lighter color & larger number of cells between the secondary bears and the next. I have before me a specimen which seems to contradict it. This is one of the three specimens last obtained, (two of which I sent you) Here is a drawing

The very core of 1869 is seen between any two bears, the two cores of 1870 are apical about one inch above the commencement of growth of 1870 in the very shorts, there is a space of about 1½ inches containing two scales only, (just as you would expect

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

to [illegible] depending too much upon
that person will be always true & sincere
& by cautious words both take the
ordinary precaution & prevent offence

Well I have done about as
much as a sick man can make
do at writing, & so will end
for this mail to crack. Yr &
ever am able & will go out to take
tea [illegible] for my own satisfaction
as well as yours

very truly yours

W M Canby

I have written to Gray about Lesquereux
about Paris & Colon, but have nothing.

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd Sept 16th
ans Oct 15th

Aiken S.C. Sept 12 1870

My dear Sir

I have not heard from you since my last of June 13th, but I write now to say, I think I have ascertained pretty conclusively that Pinus serotina matures its fruit in 8 months as the stem called "American spruce". My specimens of 23d July might have been large cones with many scales in various stages of growth. The cones of 1869 were in full growth (& at that date not more than 2/3 grown) & will undoubtedly be full grown, & mature this autumn.

A friend on the Seaboard who has also been investigating the subject for me, sent me drawings & description of the fruit & the different

genus, & his observations (very extensive)
corroborate mine here.
I am sorry he sent me them is
full proof of the fact. Doubtless the
frequency of these abortive cones in
this species has given rise to the
supposition that it regained a
longer period — the abortive cones
being supposed to be seeds & germinating
under the bit of paper. The drawing
will explain itself when I have a sketch
by me to explain about the
quality of different seasons &
that with black ink made from
a specimen, shows (in June) the
year's fruit of '70, the greatest part
fruit of '69 & the few cones of
'68. The abortive cone differs
explains the cause of frequent
double. Had it not been there
it might very readily have been

) been supposed that the cases of
'68 & '69 were yet subsisting &
to spare.

I think that yesterday may
be considered settled

Where you have examined the
Texan fence, I shall be glad
to hear your opinion

I am very truly
H W Ravenel

BOTANICAL GARDEN
LIBRARY PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec'd Oct 28
Ans'd Nov 4

Aiken S.C. Oct 24/20

My dear Sir

Your letter of 18th inst. came to hand a few days ago. I will have an interesting object to send you & therefore will defer writing you until then. I will send you specimens & letter. Should you wish to get in communication with me before that time please address me at Aiken S.C.

Dr J. H. Mellichamp of Bluffton S.C. is an intelligent observer & seems always very willing to aid in all such inquiries — & although not a botanist, he knows many of the plants around here. He is near Ellicotts grounds (Beaufort) & might be in the way many times & interest. I have got from him Pinckneya pubens, Nyssa capitata, Sagoretia Michauxii, Ilex Dahoon & some other [illegible] things. He writes that the Dahoon sent a few days ago to Prince he could find, but it

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

have not got received it. If there is any thing that I think will interest you, I will show with you ..... I can show you a very exciting q Pinus flabra, one of five I have record from near the Mexican. You wish a set of my Lichens, will select characteristic & named & arranged according to present ideas "&c

I will state above time, so you may decide. I have been collecting Lichens since I lived in the Cove country 15 or 20 years ago, & sending to Tuckerman & Willey though I have given them no special study, I have become tolerably familiar with the local species. Lately Tuckerman has been quite unwell to go over my entire collection & give me his views on the species as he has expressed them in his "Genera of N. Am. Lichens" now just going through the press ... My collection is named in accordance with these views.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

Both I must in justice to Prof Tuckerman, say
that — that in the Manuscript Species, (there
requiring an examination of Species into
Lichenes magnificos, forum) I cannot hold him
responsible for what I may do or not. He can only
be responsible for the Specimens he examines.
This I cover also applies to any & all
things which are named by members.
& do not directly refer in the Manuscript.
I have however one & every Specimen
& I think my species will all be correct
I have made up 6 sets, two of which
are already disposed of at $10. per 100
My next set contains of S. C. Lichens 129
" Texan " 33
total 162 $16.20

They are all put up in proper form & note
name & locality of collection; & they can
be systematically arranged by reference to
Tuckerman's work as soon as it is found.
In my herbarium, I have all my Specimens

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

mounted on squares of stiff white paper
there are ground down to ten leaves, so as
to be easy of examination. If I had the right
kind of paper on could get it here, I would
offer to mount the specimens for you
I shall not send, until you decide after
the above statement. If you still wish
to have the set, say if I must send by Express,
or take the risk of the mail. If by express,
I might send to the Parks gladly.
If my health improves as it has done lately,
I think of making a trip to Florida, provided I
can see the possibility of covering my
expenses by making collections. For the
winter not much can be done. Perhaps
some Pharmaceutical, but the Drug's would
yield a poor harvest. If there any thing
I can do for you there? I am only in-
quiring now, so as to understand about
it, when I come to decide whether to go or
not. I enclose flower & bill of leaves of
Tillandsia which I have examined.
The leaves are from the same plant, some of
which (the lowest) are obtuse & the others
more pointed. I have not yet seen any fruit
of it. Ther seems an

very respectfully
H. H. Rusby

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

Rec Nov 25
Ans Dec 15

Aiken S.C. Nov. 21/70

My Dear Sir

Your letter of 14th reached me a day or two ago — & am I have just lately received the box of Pines from Dr Mellichamp. I have been making up a parcel for you to go by Express — & hope to get it off in a day or two. You will find some herb. specimens of Pinus Rigida, Sassafras, Magnolia Macrophylla, Gordonia Lasianthus, Pteleia trifoliata & a leaf of Yucca filamentosa, all from Dr Mellichamp. He has so far been unable to get fruit, but promises to look out.

Of the Pines he has sent me, I have selected all such of the best specimens as I think will be interesting, making such remarks as appeared necessary. I send also Pinus pungens, every thing botanically labelled & explained.

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

The seeds are packed also in the same box — also some 30 to 40 Persian plants which I would be glad to have your opinion. I find many of these Persian plants that I am not familiar with. They are numbered. Those Retain these you may want, & at any time, you may return to me, — but you may give me your opinion by the number. If I can find a single plant of T. filamentosa, it may also go in the box.

If on receiving it, you think it may not live, let me know & I will send another through the Post Office.

As you seem to think Pines flabra would not stand your climate, I do not send it. But you can try it & it is here at your service if you wish it.

I have never been able to find fruit on an T. filamentosa. I have had one in my garden blooming for several years

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN

but as soon as the flowers expand, they
are attacked by a worm & ruined before
that destroys the germs

I have not been able to get the
proper Kind of paper for moreleing
the Lichens; so I send them as they
are in paper parcels

Yours very truly
D. D. Cavanel

$\frac{118}{2} + \frac{26}{31,90}$

$\frac{638}{315}$

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10
cm
copyright reserved
MISSOURI BOTANICAL GARDEN